



INTROSPECTION:

Electricity is a major contributor to global warming. As we cannot live without lighting, we should choose energy efficient green lighting. With the growing population, the finite resources in the world are slowly depleting. If we intend to leave our future generations with same standard of living we have enjoyed, we must preserve and save resources for them.

In our fight to protect the environment, reduce energy use and minimize costs, it is clear that LED is the future of lighting with consistently increasing demand for energy and its environmental impact, we want to make a choice that is not only financially sound but ecologically too.

Taking a step to install new LED lighting can really make a difference, maybe more than you expect. Thus, Karvin offers a wide range of lighting products specially to achieve quality luminaries with minimal energy usage.

We at Karvin, striving towards excellence and redefining energy.




Benchmarking
indigenous
technology for
quality LED
Lightings

KARVIN POWER SYSTEMS PVT LTD is an ISO Certified Company and has about two decades of experience for Power Conditioning products. The group is headed by Mr. Sanjay Agarwal (Managing Director) with it's Corporate office in Mumbai and has a dedicated team of professionals to attain customer's satisfaction.

We believe in participative business and hence our best projects are where we partner our customers to develop best solutions for them by saving their money and energy with our experience of electrical and electronics engineering field. Our products are an outcome of continuous R&D and other strict quality control measures.

KARVIN is a one stop solution for providing elegant lightings for all commercial projects like showrooms, factories, warehouses and other décor related interior and exterior lighting. We are also known for customized designing of LED lights as per the customer's requirement.

Together with architects, lighting designers and consumers in their industries and homes, we seek to create meaningful innovative products and solutions which simply enhance people's lives with light.



ENERGY & LIGHTING AUDITS



INDUSTRIAL
LIGHTINGS &
TURNKEY PROJECTS



INTERIOR & EXTERIOR LIGHTINGS





01 Street Light

02 High Bay Light

03 Flood Light

O4 Premium Panel Light

O5 Slim Panel Light

06 Down Light

07 COB Light

I N E X









Luminaries Wattage	15W	18W	24W	30W	36W				
	50W	70W	100W	150W	200W				
I/P Range & frequency	110V-270V AC ; 50-60 Hz								
Lumens O/P	120 - 130 lumens / watt								
Power Factor (PF)	> 0.90								
Color	Cool Whi	ite	Neutral white	Wa	rm white				
CCT	6500k 4000k 2700k								
IP Rating	IP 65								
Surge Protection	Yes								
Average LED Life			>50,000 hours						
















Luminaries Wattage	50W	100W	120W	150W	200W			
I/P Range & frequency	110V–270V AC ; 50-60 Hz							
Lumens O/P	120 - 130 lumens / watt							
Power Factor (PF)	> 0.90							
Color	Cool White Neutral White Warm				rm White			
ССТ	6500K 4000K 2700K				2700K			
IP Rating	IP 65							
Surge Protection	Yes							
Average LED Life			>50,000 hours					



















Down chowk

Back chowk

Luminaries Wattage	30W	50W	70W	100W	150W	200W	250W		
Luminaries Type	Back Chowk / Down Chowk								
I/P Range & frequency	110V–270V AC ; 50-60 Hz								
Lumens O/P			120 - 1	L30 lumens	/ watt				
Power Factor (PF)	> 0.90								
Color	Cool White Neutral White Warm White								
ССТ	6500K 4000K 2700K								
IP Rating	IP 65								
Surge Protection	Yes								
Average LED Life		·	>	50,000 hou	rs				
















Luminaries Wattage	18W	22W	36W	36W	72W			
Luminaries Cutout (mm)	300x300	300x300 300x600		300x1200	600x1200			
Luminaries Cutout (ft)	1'x1'	1'x2'	2'x2'	1'x4'	2'x4'			
Luminaries Shape		Sq	uare / Rectangu	lar				
I/P Range & frequency		110V	/–270V AC ; 50-6	60 Hz				
Lumens O/P	120 - 130 lumens / watt							
Power Factor (PF)	> 0.90							
Color	Cool White Neutral White Warm White							
CCT	6500K 4000K 2700K							
Surge Protection	Yes							
Average LED Life	>50,000 hours							
















Luminaries Wattage	3W	6W	9W	12W	15W	18W	22W		
Luminaries Cutout (mm)	75	110	110	160	160	210	210		
Luminaries Shape	Round / Square								
I/P Range & frequency			110V-2	270V AC ; 50	0-60 Hz				
Lumens O/P	120 - 130 lumens / watt								
Power Factor (PF)	> 0.90								
Color	Cool White Neutral White Warm White								
ССТ	6500K 4000K 2700K								
Surge Protection	Yes								
Average LED Life			>	50,000 hou	rs				





















Luminaries Wattage	15W	18W	24W					
Luminaries Cutout (mm)	125	175						
Luminaries Shape	Round / Square							
I/P Range & frequency		110V-270V AC; 50-60 Hz						
Lumens O/P	120 - 130 lumens / watt							
Power Factor (PF)	> 0.90							
Color	Cool White Neutral White Warm White							
ССТ	6500K 4000K 2700K							
Surge Protection	Yes							
Average LED Life		>50,000 hours						
















Luminaries Wattage	3W	6W	9W	12W	24W	30W			
I/P Range & frequency	110V-270V AC ; 50-60 Hz								
Lumens O/P		120 - 130 lumens / watt							
Power Factor (PF)	> 0.90								
Color	Cool	Cool White Neutral White Warm White							
CCT	6500K 4000K 2700K								
Surge Protection	Yes								
Average LED Life			>50,00	0 hours					













KARVIN POWER SYSTEMS PVT LTD

- © Corporate Office:134, Blue Rose Industrial Estate,Off W.E. Highway, Borivali (East), Mumbai-400066
- © +91 9324704760
- www.karvinpower.com
 CIN No. U31400MH2009 PTC 193144



